

ACCESSORIES

# LJUNGBY

PULL HOOK AND CONNECTIONS ON THE REAR



Foto: Lars Malm 201812  
101188-EN rev 1



SUPERIOR PERFORMANCE

- 3 POINT LIFT ■ HITCH PULL HOOK ■ VBG COUPLINGS
- HYDRAULIC COUPLINGS AT THE REAR ■ ELECTRIC POWER OUTLET
- CAMERA ON THE HOOK





## 3 Point Lift

The three-point lift makes your Ljungby more flexible. You can handle all the tools hung in the three-point lift, such as sand spreader and harrow. Ljungby delivers three-point lift of the He-Va model, which is well proven.

For your three-point lift, you can complement hydraulic jacks to the pressure bar and other hydraulic features you need. Often, the three-point lift is complemented with a power switch for light functions on the implement. Control of the three-point lift is made from the cabin or at the back of the lift.



## Raised and lowered Pull Hook

Ljungby's raised and lower pull hook to connect a trolley makes your Ljungby more flexible. You can easily connect your trolley. Our specially designed casted pull hook is molded in special shape to better take angles between machine and trolley better. All raising and lowering pull hooks are inspected and can handle 25 tons of traction and 3 tons of loads vertically. The entire function makes it easy to turn 90 degrees when not in use to raise ground clearance.

This feature includes all hydraulics to handle the raising and lowering the pull hook, but no hydraulic connections is included. This must be completed as required.

Normal completion consists of:

- \* Hydraulic brake outlet
- \* Trailer electric socket
- \* Hydraulic outlets for trolley functions such as tipping and spreader. There are a number of choices.
- \* Camera on the hook to facilitate coupling the trailer.
- \* Lighting on hook
- \* 80 mm draw ball



## Hydraulic socket at the back


You can choose a large number of combinations and functionality on the hydraulic outlets of a Ljungby. Everything from T-coupling with rear selector to electrically controlled hydraulic valves with adjustable flow. If you require large streams at the back end, there are functions with flows up to 280 l / min. The drain valve on the rear is not standard but can be selected, as is the case float position and adjustable flow.

Also specify which type of connection you want for the outputs.

## VBG Couplings

If you equip your Ljungby with a VBG coupling, you can pull your truck lorry or jigg with the same features as you do with a truck. Very useful when working in contract or agriculture. The rear frame of your Ljungby is directly integrated in order to connect the VBG couplings. Many options for controlling your trolley are available. For example:

- \* Duomatic brake socket with hydraulic compressor
- \* VBG electric power outlets
- \* Hydraulic connection





# SUPERIOR PERFORMANCE



Electric door closers



45 degree steering angle



Best instep to the cabin on the market.



Electrically adjustable pedals for optimal driving position

## Superior Performance

Strong, Powerful, High-tech and Reliable Ljungby Wheel Loader gives our customers a unique product.

The world's smallest and best wheel loader manufacturer gives you as a customer a unique, good and custom product that you can earn for years

Contact your Ljungby seller for more information how to get together a Superior Performance machine for you.



LM Comfort (cab suspension). Our own Comfort System.



Free sight stand which gives you superior control over your gear and the area around the machine.

